


LUMIEN



PRODUCT SNAPSHOT





Together, we are brighter.

ABOUT

With 15 years in the lighting manufacturing industry, we are committed to producing innovative fixtures and providing exceptional service in all aspects of our company. Every fixture offered has been through the hands of our design team, engineers, assembly team, ownership, and finally our Lumien executives. As LED technology continues to change and improve, Lumien's promise to our customers is to continuously provide the most groundbreaking products with the newest technology in the industry.

WEBSITE




Scan to visit our website

DIGITAL CATALOGS



Scan to view all of our catalogs



MICRO SERIES (12V)



Quick Facts

- IP 68 Rating (waterproof)
- Runs at a lower temperature than a MR16
- In-field Repairable
- Available in 3.5W and 5.5W
- Available in 27K and 30K
- Available in a Raw Brass Finish for underwater application

Micro Modules



M4B1-3.5W-27K-A
M4B1-3.5W-30K-A

Brass Micro Light
3.5 Watts Module
325 Lumens



M4B1-5.5W-27K-A
M4B1-5.5W-30K-A

Brass Micro Light
5.5 Watts Module
435 Lumens



M4B1-3.5W-27K-R
M4B1-3.5W-30K-R

Brass Micro Light
3.5 Watts Module
325 Lumens



M4B1-5.5W-27K-R
M4B1-5.5W-30K-R

Brass Micro Light
5.5 Watts Module
435 Lumens

MICRO SERIES (12V)



Micro Full Assemblies

Includes Micro Module, Mounting, & Shroud



M4B7-5.5W-27K-A
M4B7-5.5W-30K-A

5.5 Watts
275 Lumens



M4B2-3.5W-27K-A
M4B2-3.5W-30K-A

3.5 Watts
248 Lumens

BASE NOT INCLUDED

M4B2-5.5W-27K-A
M4B2-5.5W-30K-A

5.5 Watts
335 Lumens



BASE NOT INCLUDED

M4B3-5.5W-27K-A
M4B3-5.5W-30K-A

5.5 Watts
275 Lumens

Specify LAB-001 or LAB-002
at no additional up-charge



M4B4-5.5W-27K-A
M4B4-5.5W-30K-A

5.5 Watts
275 Lumens



M4B5-5.5W-27K-R
M4B5-5.5W-30K-R

5.5 Watts
346 Lumens



M4B6-5.5W-27K-R
M4B6-5.5W-30K-R

5.5 Watts
254 Lumens

MICRO SERIES (12V)

Micro Full Assemblies


Path Light Stem with Quick Connect Shroud



MICRO SERIES (12V)



Micro Accessory Packages Includes Mounting & Shroud



LAB-019

Square, (1) Side Light



LAB-020

Square, (4) Side Light



LAB-021

Square, (2) Side Light



LAB-022

Square, Half-Moon



LAB-023

Square, Flush



LAB-024

Circular, Flush



LAB-025

Circular, Half-Moon

MICRO SERIES (12V)

Micro Accessory Packages

Includes Mounting & Shroud



LAB-005

Hanging Glass Shroud



LAB-006

Hanging Short Solid Shroud



LAB-007

Hanging Long Perforated Shroud



LAB-008

Hanging Long Solid Shroud



LAB-009

Surface Mounted Glass Shroud



LAB-010

Surface Mounted Short Solid Shroud



LAB-011

Surface Mounted Long Perforated Shroud



LAB-012

Surface Mounted Long Solid Shroud



BRASS SERIES (12V)

Path Light Components

Path Light Stem with Adjustable Wattage & Shroud



BRASS SERIES (12V)

Spot Fixtures

All Uplights include a Spike



BASE NOT INCLUDED

D6B1-aW-27K-A
D6B1-aW-30K-A

2-10 Watts
70-700 Lumens
ADJ Wattage

Includes:
Modular Light Source,
Interchangeable
Optic Lenses, &
Color Filters



BASE NOT INCLUDED

D1B1-A

Non-Integrated
MR16 Uplight
No Lamp Included



D1B2-A

Non-Integrated
MR16 Downlight
with
Single Point Mount
No Lamp Included



D1B3-A

Non-Integrated
MR16 Downlight
with
Tree Mount Bracket
No Lamp Included



BRASS SERIES (12V)



Wall Fixtures



M3B1-3.5W-30K-A

3.5 Watts
240 Lumens



W4B4-2.5W-27K-A
W4B4-2.5W-30K-A

2.5 Watts
110 Lumens
Modular Light Source



W3B2-3.5W-27K-A
W3B2-3.5W-30K-A

3.5 Watts
240 Lumens

BRASS ACCESSORIES

Mounting & Parts



LAB-001

Accessory, Brass Tree Mount, Single Point



LAB-002

Accessory, Brass Tree-Mount, Bracket



LAB-036-27K

Accessory, Replacement Spot Light Module, ADJ 2.5-10W, 2700K



LAB-036-30K

Accessory, Replacement Spot Light Module, ADJ 2.5-10W, 3000K



LAB-058

Accessory, 4" Riser



LAB-051

Accessory, 8" Riser



LAB-052

Accessory, 16" Riser



LAB-053

Accessory, 24" Riser



LAB-049

Accessory, L-Mount



LAB-050

Accessory, T-Mount



LAB-004-27K

Accessory, Wall Hardcape Light Replacement Module, 2700K



LAB-004-30K

Accessory, Wall Hardcape Light Replacement Module, 3000K



LAB-037

Accessory, Threaded Cap for Brass Spot Light D6B1

BRASS ACCESSORIES

Micro Replacement Shrouds



LAB-026

Micro, Replacement Shroud, Glass Shroud Only



LAB-027

Micro, Replacement Shroud, Short Solid Shroud Only



LAB-027-R

Micro, Replacement Shroud, Short Solid Shroud Only – Raw Finish



LAB-028

Micro, Replacement Shroud, Medium Solid Shroud Only



LAB-047

Micro, Replacement Shroud, Extra-Long Perforated Shroud Only



LAB-029

Micro, Replacement Shroud, Long Perforated Shroud Only



LAB-046

Micro, Replacement Shroud, Extra-Long Solid Shroud Only



LAB-030

Micro, Replacement Shroud, Long Solid Shroud Only



LAB-031

Micro, Replacement Shroud, 60° Uplight Shroud Only



LAB-031-R

Micro, Replacement Shroud, 60° Uplight Shroud Only – Raw Finish



LAB-032

Micro, Replacement Shroud, 37° Downlight Shroud Only



LAB-033

Micro, Replacement Shroud, 120° Spread Flood Shroud Only

BRASS ACCESSORIES

Micro Accessories



LAB-034

Accessory, Micro Light,
Mounting, Surface Mount



LAB-035

Accessory, Micro Light,
Mounting, Hanging Mount



LAB-014

Accessory, Brass Micro
Fixture, Lock Screw Only



LAB-015

Accessory, Brass Micro
Fixture, Replacement Wire
Lead Only



LAB-016

Accessory, Micro
Hexagon Louver



LAB-017

Accessory, Soffit Bracket



LAB-018

Micro, Accessory,
Stake Attachment



LAB-054

Micro Diffuser Lens
for Pendants

Path Light Components



LAP-001

Accessory, 12" Spike



LAP-002

Accessory, 8" Spike



LAB-003-27K

Accessory, Path Light
Replacement Module,
2700K



LAB-003-30K

Accessory, Path Light
Replacement Module,
3000K

ALUMINUM SERIES (12V)



Spot Fixtures

All Uplights include a Spike



BASE NOT INCLUDED

D5A1-aW-27K-BZ (-BK)
D5A1-aW-30K-BZ (-BK)

2-15 Watts
200-1200 Lumens
ADJ Beam Spread
& Wattage



D5A2-aW-27K-BZ (-BK)
D5A2-aW-30K-BZ (-BK)

2-15 Watts
200-1200 Lumens
ADJ Beam Spread
& Wattage



BASE NOT INCLUDED

D3A1-12W-27K-BZ
D3A1-12W-30K-BZ

12 Watts
900 Lumens



D3A2-5W-27K-BZ (-BK)
D3A2-5W-30K-BZ (-BK)

5 Watts
375 Lumens



BASE NOT INCLUDED

D1A1-BZ

Non-Integrated MR16
No Lamp Included



D1A2-BZ

Non-Integrated MR11
No Lamp Included

ALUMINUM SERIES (12V)

Wall Fixtures



W3A1-2.5W-27K-BZ (-BK)
W3A1-2.5W-30K-BZ (-BK)

2.5 Watts
180 Lumens



W3A2-10W-30K-BZ

10 Watts
900 Lumens



W3A3-10W-30K-BZ

(2) 10 Watts
900 Lumens



ALUMINUM SERIES (12V)

Path Light Fixtures

BASE NOT INCLUDED



A5A1-4W-27K-BZ
A5A1-4W-30K-BZ

4 Watts
210 Lumens
ADJ Beam Angle



A5A2-4W-27K-BZ
A5A2-4W-30K-BZ

4 Watts
210 Lumens
ADJ Beam Angle



A5A3-4W-30K-BZ

4 Watts
210 Lumens
ADJ Beam Angle



A5A4-4W-27K-BZ (-BK)
A5A4-4W-30K-BZ (-BK)

4 Watts
210 Lumens
ADJ Beam Angle

BASE NOT INCLUDED



A3A3-6W-27K-BZ (-BK)
A3A3-6W-30K-BZ (-BK)

6 Watts
450 Lumens



A3A1-5W-30K-BZ

5 Watts
160 Lumens



A3A2-5W-30K-BZ

5 Watts
160 Lumens



A3A4-10W-27K-BZ
A3A4-10W-30K-BZ

10 Watts
800 Lumens

ALUMINUM SERIES (12V)

Pendant Fixtures



P3A1-5W-30K-BZ

5 Watts
400 Lumens



P3A2-5W-30K-BZ

5 Watts
95 Lumens



P3A3-5W-30K-BZ

5 Watts
70 Lumens

Recessed Fixtures



R5A1-10W-30K-BZ

10 Watts
550 Lumens
ADJ Beam Spread



R5A2-10W-27K-BZ
R5A2-10W-30K-BZ

10 Watts
360 Lumens
ADJ Beam Spread



R5A3-10W-30K-BZ

10 Watts
330 Lumens
ADJ Beam Spread

Flood Fixture



F5A1-αW-27K-BZ (-BK)
F5A1-αW-30K-BZ (-BK)

2-15 Watts
200-1200 Lumens
ADJ Wattage

Step Fixtures



S3A1-3W-30K-BZ

3 Watts
50 Lumens
Surface Mount



S3A2-3W-30K-BZ

3 Watts
15 Lumens



S3A4-6W-30K-BZ

6 Watts
100 Lumens
Surface Mount



S3A5-6W-30K-BZ

6 Watts
30 Lumens

ALUMINUM ACCESSORIES

Accessories



LAA-001 (-BK)

Accessory, Path Light/Spot Light Base



LAA-002 (-BK)

Accessory, J-Box for Spot Fixture



LAA-003 (-BK)

Accessory, L-Mount



LAA-004 (-BK)

Accessory, T-Mount



LAA-020 (-BK)

Accessory, 4" Riser



LAA-005 (-BK)

Accessory, 8" Riser



LAA-006 (-BK)

Accessory, 16" Riser



LAA-007 (-BK)

Accessory, 24" Riser



LAA-008 (-BK)

Accessory, Spot Light Riser, Adjustable, 16"-25"



LAA-015

Accessory, Aluminum MR11 90° Cylinder Spot Light Shroud



LAA-016

Accessory, Aluminum MR11 60° w/ Cut Spot Light Shroud



LAA-017

Accessory, Aluminum MR16 90° Cylinder Spot Light Shroud



LAA-014

Accessory, Aluminum MR16 60° w/Cut Spot Light Shroud



LAP-001

Accessory, 12" Spike



LAP-002

Accessory, 8" Spike



LAA-010

Accessory, Flower Stabilizer Plate

ALUMINUM ACCESSORIES

Accessories



LAP-003

Accessory, Step Light Junction Box, Large



LAP-004

Accessory, Step Light Junction Box, Small



LAA-009

Accessory, Wall Light Surface Mount Bracket



LAP-005

Accessory, Commercial 16" Spike

Spot Light, D3A2-5W-27K-BZ

Accessory Indicator



LAA-003

LAA-005

ALUMINUM ACCESSORIES

Transformers Photocell & Timer Built-In



TR -120
120 WATTS



TR -250
250 WATTS



GLOSSARY

Finishes Guide



Antique Brush Brass



Raw Brass



Bronze Aluminum



Black Aluminum

Abbreviation Key

BK - Black
 BZ - Bronze
 FT - Feet
 K - Kelvin Temperature
 LED - Light-emitting diode

LM - Lumens
 R - Raw
 TR - Transformer
 V - Voltage
 W - Wattage

Where To Buy



Scan to view
 Distributor
 Listing



Scan to follow
 on facebook

Fixture Guide

Fixture Type	Fixture Components	Fixture Material	Fixture Style	Watts	Color Temperature	Finish
D (Directional)	1 (Drop-In)	A (Aluminum)	<i>Depends on fixture category</i> 1	<i>Depends on fixture</i>	27K (2700K)	BZ (Bronze) - Aluminum
A (Area)	2 (Modular)	B (Brass)	2		30K (3000K)	BK (Black - Available on Specific Fixtures) - Aluminum
F (Flood)	3 (Integrated Non-Modular)		3			
W (Wall)	4 (Integrated Modular)		4			
R (Recessed)	5 (Integrated Variable)		5			A (Antiqued) - Brass
S (Step)	6 (Integrated Modular Variable)		6			R (Raw - Available on Specific Fixtures) - Brass
P (Pendant)			7			
M (Micro)			8			



Together, we are brighter.



D5A1-AW-27K-BZ
D5A1-AW-30K-BZ

FEATURED PRODUCT

ALUMINUM DUAL ADJUSTABLE SPOT LIGHT

- 1** ADJUSTABLE WATTAGE
Adjustability in terms of wattage (2-15W)
- 2** ADJUSTABLE OPTIC LENS
Adjustability in terms of beam spread (15-38°)
- 3** KELVIN TEMPERATURES
Available in multiple kelvin temperatures: 2700K & 3000K
- 4** COLOR FILTERS & HONEYCOMB LOUVER
Includes multiple color filters and honeycomb louver in the product box




INNOVATIVE DESIGN

PROFESSIONALLY CONSTRUCTED
HIGH-QUALITY FIXTURES



CREE  **LED**

Authorized **LUMIEN**  Dealer



LUMIENTM



Together, we are brighter.

WWW.LUMIENLIGHTING.COM

PH: 770.485.9002

